ELSEVIER

Toxicology 207 (2005) 511–512

TOXICOLOGY

www.elsevier.com/locate/toxicol

Author index of volume 207

Aase, A. **207**, 241
Abdelkader, A. **207**, 363
Acet, A. **207**, 169
Aguirre, J.R. **207**, 223
Alberg, T. **207**, 241
Alvarez, L. **207**, 349
Andersen, H.R. **207**, 21
Anderson, P.K. **207**, 487
Ávila-Casado, M. C. **207**, 323
Ávila-Costa, M.R. **207**, 323

Baccarelli, A. **207**, 191
Bacha, H. **207**, 293
Baudrimont, I. **207**, 293
Bay-Karabulut, A. **207**, 169
Behm, C. **207**, 255
Bell, D.A. **207**, 191
Bergen, A.W. **207**, 191
Blanchard, S. **207**, 149
Bleumink, R. **207**, 241
Blumenthal, S.S. **207**, 369
Bolt, H.M. **207**, 255
Booker, C.D. **207**, 271
Bringas, P. **207**, 475
Brocardo, P.S. **207**, 283
Brown, S. **207**, 149

Çakar, H. **207**, 15
Caporaso, N. **207**, 191
Cattley, R.C. **207**, 149
Cebrián, M.E. **207**, 49
Ceccatelli, S. **207**, 391
Chan, F.L. **207**, 303
Chander, V. **207**, 339, 463
Chang, H.-R. **207**, 73
Chapman, B. **207**, 401
Chen, Z.-y. **207**, 303
Choi, H.H. **207**, 401
Chopra, K. **207**, 339, 463
Christians, U. **207**, 117
Colín-Barenque, L. **207**, 323
Colvin, R.B. **207**, 117
Corton, J.C. **207**, 149
Córdova, E. **207**, 49
Creppy, E.E. **207**, 293
Csanaky, I. **207**, 91
Cui, X.-M. **207**, 475

Dafre, A.L. **207**, 283
Del Razo, L.M. **207**, 49
Delclos, K.B. **207**, 271
Dobrzyńska, M.M. **207**, 331
Dybing, E. **207**, 241

Ellidokuz, H. **207**, 15
Emgard, M. **207**, 391
Espejel-Maya, G. **207**, 323

Favero, A.M. **207**, 231
Fisyunov, A. **207**, 129
Föllmann, W. **207**, 255
Fortoul, T.I. **207**, 323
Foth, H. **207**, 437

Garattini, E. **207**, 401
Garrido, E. **207**, 49
Gautier, J.-C. **207**, 203
Germolec, D.R. **207**, 271
Golli, E.E. **207**, 293
González-Amaro, R. **207**, 223
Graham, M. **207**, 117
Grassman, J. **207**, 191
Gregus, Z. **207**, 91
Grishin, E. **207**, 129
Gulyaeva, L.F. **207**, 315
Guo, T.L. **207**, 271

Hankinson, O. **207**, 401
Hanzel, C.E. **207**, 501
Hardy, W. **207**, 411
Hassen, W. **207**, 293
He, Q. **207**, 137
Hering, B.J. **207**, 117
Hernendez, D.M. **207**, 271
Hernández, S. **207**, 349
Hernández-Serrato, M.I. **207**, 323
Hernández-Zavala, A. **207**, 49
Hirama, S. **207**, 7
Ho, C.-K. **207**, 73
Holsapple, M.P. **207**, 487
Huang, P. **207**, 391

Ingulli, E. **207**, 117
Iwase, K. **207**, 7

Jacobsen, H. **207**, 21
Jiménez, M.E. **207**, 223
Juárez, B.I. **207**, 223

Kahraman, A. **207**, 15
Kanada, A. **207**, 7
Kashida, Y. **207**, 419
Kim, C.-H. **207**, 383
Kim, J. **207**, 137
Kim, S.-H. **207**, 383
Kirchhof, N. **207**, 117
Kleiman de Pisarev, D.L. **207**, 349
Kobayashi, M. **207**, 7
Kolliker-Frers, R. **207**, 349
Krejčová-Kunešová, G. **207**, 1
Krishtal, O. **207**, 129
Kuča, K. **207**, 1
Kuhlmann, J. **207**, 255
Kutz, A. **207**, 255

Labbe, G. **207**, 203
Ladics, G.S. **207**, 487
Ladjimi, M.M. **207**, 293
Landi, M.T. **207**, 191
Lapinskas, P.J. **207**, 149
Leesnitzer, L.M. **207**, 149
Lenz, E.M. **207**, 179
Leung, L.K. **207**, 303

doi:10.1016/S0300-483X(05)00011-9

Lock, E.A. **207**, 35, 179
Loveless, S.E. **207**, 487
Lozovaya, N. **207**, 129
Løvik, M. **207**, 241
Lyakhovich, V.V. **207**, 315

Ma, J. **207**, 215
Machida, N. **207**, 419
Major, H. **207**, 179
Mandeville, P. **207**, 223
Martinez-de-Mena, R. **207**, 349
Masten, S.A. **207**, 191
McCay, J.A. **207**, 271
Metzdorff, S.B. **207**, 21
Mikhailova, O.N. **207**, 315
Miloud, S. **207**, 363
Mistumori, K. **207**, 419
Mobio, A.T. **207**, 293
Mocarelli, P. **207**, 191
Moll, I. **207**, 105
Molyavka, A. **207**, 129
Moncada-Hernández, S. **207**, 323
Moronvalle-Halley, V. **207**, 203
Mosley, C. **207**, 411
Moto, M. **207**, 419
Mussali-Galante, P. **207**, 323
Muto, T. **207**, 419

Nellemann, C. **207**, 21
Newbold, R.R. **207**, 271
Nishimura, Y. **207**, 7
Nogueira, C.W. **207**, 231
NourEddine, D. **207**, 363
Nugel, D. **207**, 105
Nygaard, U.C. **207**, 241

Obregón, M.J. **207**, 349
Okamura, M. **207**, 419
Orman, A. **207**, 15
Oyama, Y. **207**, 7

Pandolfo, P. **207**, 283
Park, W.-H. **207**, 383
Parlakpinar, H. **207**, 169
Patterson, D.G. **207**, 191
Pauluhn, J. **207**, 59
Pesatori, A.C. **207**, 191
Petering, D.H. **207**, 369
Pfüller, U. **207**, 105
Pieters, R. **207**, 241
Pittman, G.S. **207**, 191
Plitnick, L.M. **207**, 487
Plöttner, S. **207**, 255
Pluzhnikov, K. **207**, 129
Polat, A. **207**, 169
Portillo-Salazar, H. **207**, 223
Pustylnyak, V.O. **207**, 315

Rice, R.H. **207**, 315
Rivera, S.P. **207**, 401
Rocha, J.B.T. **207**, 231
Rodrigues, A.L.S. **207**, 283
Rossini, G.P. **207**, 451

Sacré-Salem, B. **207**, 203
Saito, T. **207**, 475
Saldivar-Osorio, L. **207**, 323
Sallez, V. **207**, 203
Sayama, K. **207**, 215
Schumacher, U. **207**, 105
Schuurman, H.-J. **207**, 117
Selgrade, M.J.K. **207**, 487
Serteser, M. **207**, 15
Ševelová, L. **207**, 1
Sharma, R.P. **207**, 137
Shimoi, K. **207**, 215
Shiomi, N. **207**, 475
Shuler, C.F. **207**, 475
Singh, D. **207**, 339
Smialowicz, R.J. **207**, 487
Smith, C. **207**, 487
Stangherlin, E.C. **207**, 231
Stehfest, E. **207**, 437
Swanson, C. **207**, 149

Tabatabai, N.M. **207**, 369
Taege, C. **207**, 437
Takahashi, R.N. **207**, 283
Takemura, H. **207**, 215
Tasdemir, S. **207**, 169
Tatsuishi, T. **207**, 7
Terao, M. **207**, 401
Terao, Y. **207**, 215
Ter-Minassian, M. **207**, 191
Thies, A. **207**, 105
Tofighi, R. **207**, 391
Torky, A.-R.W. **207**, 437
Tsao, D.-A. **207**, 73

Ucar, M. **207**, 169

Vardi, N. **207**, 169
Verstraeten, S.V. **207**, 501
Viehweger, K. **207**, 437
Villaverde, M.S. **207**, 501
Vinggaard, A.M. **207**, 21

Wang, H. **207**, 303
Wang, L. **207**, 411
Wang, S. **207**, 411
Wang, Y. **207**, 303
Weis, C. **207**, 271
Wexler, P. **207**, 165
White, K.L. **207**, 271
Whitekus, M.J. **207**, 401
Wijkstrom, M. **207**, 117
Williams, R.E. **207**, 35, 179
Wilson, I.D. **207**, 179
Wolf, A. **207**, 255
Woolhiser, M.R. **207**, 487

Yamaguchi, J.-y. **207**, 7
Yamamoto, T. **207**, 475
Yan, J. **207**, 411
Yousef, M.I. **207**, 81
Yu, H. **207**, 411
Yu, H.-S. **207**, 73

Zakharova, L.Y. **207**, 315
Zeni, G. **207**, 231
Zhu, B.T. **207**, 215

ELSEVIER

Toxicology 207 (2005) 513–520

TOXICOLOGY

www.elsevier.com/locate/toxicol

Subject index of volume 207

Acetylcholinesterase; GF-agent; Oximes; Atropine; Acute toxicity; Therapeutic ratio; Mice; Cyclosarin; Nerve agent **207**, 1

Acetylcholinesterase; Malathion; Zinc; Lipid peroxidation; Antioxidant enzymes; Brain **207**, 283

Acivicin; Arsenic; Biliary excretion; Urinary excretion; Glutathione; γ-Glutamyltranspeptidase; Buthionine sulfoximine **207**, 91

Activation kinetics; Polypeptide toxin; Channels modulation **207**, 129

Activation; PPARα; Peroxisome proliferation; Phthalate esters; Hepatocarcinogenesis **207**, 149

Acute toxicity; GF-agent; Oximes; Atropine; Therapeutic ratio; Mice; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

Adjuvant; Air pollution; Particles; Allergy; Cytokines; Cell surface molecules **207**, 241

β-Adrenergic system; Lead withdrawn; Hypertension; β-Adrenoceptor **207**, 73

β-Adrenoceptor; Lead withdrawn; Hypertension; β-Adrenergic system **207**, 73

Air pollution; Particles; Adjuvant; Allergy; Cytokines; Cell surface molecules **207**, 241

Aldehyde oxidase; Dioxin; Aryl hydrocarbon receptor; Molybdate **207**, 401

Allergy; Air pollution; Particles; Adjuvant; Cytokines; Cell surface molecules **207**, 241

Alveolar macrophages; Nose-only exposure; Dosimetry; Pharmacokinetics; Tissue binding; Lung overloading **207**, 59

D-Amino acid oxidase; D-Serine; Nephrotoxicity; Sodium benzoate; 1H NMR spectroscopy; Proximal tubule **207**, 35

Antiandrogen; Fenarimol; Rat; AR reporter gene assay; Reproductive organs; Gene expression **207**, 21

Antioxidant enzymes; Malathion; Zinc; Acetylcholinesterase; Lipid peroxidation; Brain **207**, 283

Apoptosis; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (2,3,7,8-TCDD); Pituitary; Necrosis **207**, 391

Apoptosis; Methylmercury; Glutamate; NMDA receptors **207**, 223

Apoptosis; Rat liver slices; Thioacetamide; Histology **207**, 203

L-Arginine; Cyclosporine A (CsA); Nephrotoxicity; Nitric oxide (NO); Molsidomine; L-NAME **207**, 463

AR reporter gene assay; Antiandrogen; Fenarimol; Rat; Reproductive organs; Gene expression **207**, 21

Arsenic; Biliary excretion; Urinary excretion; Glutathione; γ-Glutamyltranspeptidase; Buthionine sulfoximine; Acivicin **207**, 91

Arsenic; Bladder; Cell cycle; p53; p21 **207**, 49

Aryl hydrocarbon receptor; Aldehyde oxidase; Dioxin; Molybdate **207**, 401

Ascorbic acid; Rabbits; Stannous chloride; Fertility **207**, 81

doi:10.1016/S0300-483X(05)00012-0

Atropine; GF-agent; Oximes; Acute toxicity; Therapeutic ratio; Mice; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

Behavior stereotypy; Pb toxicity; Locomotor activity; Growth; Dopamine uptake; Rat **207**, 363

Benzo(*a*)pyrene; Quantitative RTRT-PCR; Porcine urinary bladder epithelial cells; Comet assay; Micronucleus test; Gene expression **207**, 255

Biliary excretion; Arsenic; Urinary excretion; Glutathione; γ-Glutamyltranspeptidase; Buthionine sulfoximine; Acivicin **207**, 91

Bladder; Arsenic; Cell cycle; p53; p21 **207**, 49

Brain; Malathion; Zinc; Acetylcholinesterase; Lipid peroxidation; Antioxidant enzymes **207**, 283

Bronchial cells; Human lung cells; Peripheral cells; MRPs; Immunhistochemistry; Confocal LASER scan microscopy **207**, 437

Buthionine sulfoximine; Arsenic; Biliary excretion; Urinary excretion; Glutathione; γ-Glutamyltranspeptidase; Acivicin **207**, 91

Cadmium; Kidney; SGLT1; Sp1 **207**, 369

Caffeic acid phenethyl ester; Gentamicin; Reactive oxygen radicals; Renal toxicity; Rat **207**, 169

Caffeic acid; Zymography; *Euonymus alatus*; Matrix metalloproteinase-9 (MMP-9); 3,4-Dihydroxycinnamic acid **207**, 383

Calcium; Polysorbate 80; Oxidative stress; Glutathione; Lymphocyte **207**, 7

Cell cycle; Arsenic; Bladder; p53; p21 **207**, 49

Cell proliferation; Medial edge epithelium; *N'*-nitrosonornicotine; - Palate; Programmed cell death; Tobacco **207**, 475

Cell surface molecules; Air pollution; Particles; Adjuvant; Allergy; Cytokines **207**, 241

Cement; MDA; GSH; Pulmonary function test; Silisium dioxide **207**, 15

Channels modulation; Polypeptide toxin; Activation kinetics **207**, 129

Chlorinated bisphenol A; Environmental estrogens; Estrogen receptor; Uterotrophic assay **207**, 215

Combined treatment; Comet assay; X-rays; Cyclophosphamide; Mitomycin C **207**, 331

Comet assay; Benzo(*a*)pyrene; Quantitative RTRT-PCR; Porcine urinary bladder epithelial cells; Micronucleus test; Gene expression **207**, 255

Comet assay; Combined treatment; X-rays; Cyclophosphamide; Mitomycin C **207**, 331

Confocal LASER scan microscopy; Human lung cells; Bronchial cells; Peripheral cells; MRPs; Immunhistochemistry **207**, 437

Cyclophosphamide; Combined treatment; Comet assay; X-rays; Mitomycin C **207**, 331

Cyclosarin; GF-agent; Oximes; Atropine; Acute toxicity; Therapeutic ratio; Mice; Acetylcholinesterase; Nerve agent **207**, 1

Cyclosporine A (CsA); Nephrotoxicity; Nitric oxide (NO); L-Arginine; Molsidomine; L-NAME **207**, 463

Cyclosporine; Everolimus; FTY720; Kidney toxicity; Nonhuman primates **207**, 117

Cyclosporine; Ischaemia/reperfusion; Kidney **207**, 339

CYP1A1/1B1; Hydroxychalcones; XRE-transactivation; DMBA–DNA binding **207**, 303

CYP1A1; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1B1*; Genotypes; Haplotypes; Gene expression **207**, 191

CYP1B1; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1A1*; Genotypes; Haplotypes; Gene expression **207**, 191

Cytochrome P4502B; Rat liver; Induction; Phenobarbital; Triphenyldioxane; Inhibitors of protein kinases and phosphatases **207**, 315

Cytokines; Air pollution; Particles; Adjuvant; Allergy; Cell surface molecules **207**, 241

Cytokines; Respiratory sensitizers; Ribonuclease protection assay; Th1 and Th2 cells; Hypersensitivity; Diisocyanate **207**, 487

Cytoprotection; Zearalenone; Hep G2 cells; Cytotoxicity; Hsp 70 expression **207**, 293

Cytotoxicity; Malignant melanoma; Mistletoe lectins; Interleukin; Tumour necrosis factor-α **207**, 105

Cytotoxicity; Zearalenone; Hep G2 cells; Hsp 70 expression; Cytoprotection **207**, 293

5′ Deiodinases; Hexachlorobenzene; Thyroid status **207**, 349

Developmental exposure; Methoxychlor; Immunomodulation; Rat; Endocrine disrupter **207**, 271

3,3′-Dichlorobenzidine; *Salmonella typhimurium* TA102; Phototoxicity; Photomutagenicity; Jurkat T-cell; Single cell gel electrophoresis (comet assay) **207**, 411

Dicyclanil; Microarray; Liver carcinogenesis; Oxidative stress; Mouse **207**, 419

3,4-Dihydroxycinnamic acid; Zymography; *Euonymus alatus*; Matrix metalloproteinase-9 (MMP-9); Caffeic acid **207**, 383

Diisocyanate; Respiratory sensitizers; Ribonuclease protection assay; Cytokines; Th1 and Th2 cells; Hypersensitivity **207**, 487

Dioxin; Aldehyde oxidase; Aryl hydrocarbon receptor; Molybdate **207**, 401

Diphenyl ditelluride; Tellurium; Teratogenic; Pregnancy and toxicity **207**, 231

DMBA–DNA binding; Hydroxychalcones; XRE-transactivation; CYP1A1/1B1 **207**, 303

Dopamine uptake; Pb toxicity; Locomotor activity; Growth; Behavior stereotypy; Rat **207**, 363

Dosimetry; Nose-only exposure; Pharmacokinetics; Tissue binding; Alveolar macrophages; Lung overloading **207**, 59

Effector; Harmful algal blooms; In vitro assay; Receptor; Signal transduction **207**, 451

Endocrine disrupter; Methoxychlor; Developmental exposure; Immunomodulation; Rat **207**, 271

Environmental estrogens; Chlorinated bisphenol A; Estrogen receptor; Uterotrophic assay **207**, 215

Estrogen receptor; Chlorinated bisphenol A; Environmental estrogens; Uterotrophic assay **207**, 215

Euonymus alatus; Zymography; Matrix metalloproteinase-9 (MMP-9); Caffeic acid; 3,4-Dihydroxycinnamic acid **207**, 383

Everolimus; Cyclosporine; FTY720; Kidney toxicity; Nonhuman primates **207**, 117

Fenarimol; Antiandrogen; Rat; AR reporter gene assay; Reproductive organs; Gene expression **207**, 21

Fertility; Rabbits; Stannous chloride; Ascorbic acid **207**, 81

FTY720; Cyclosporine; Everolimus; Kidney toxicity; Nonhuman primates **207**, 117

Fumonisin; Hepatotoxicity; Tumor necrosis factor α; Sphinganine; Kupffer cells **207**, 137

Gender differences; Sex differences; Pb; Inhaled metals; Scanning electron microscopy; Lead acetate **207**, 323

Gene expression; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1A1*; *CYP1B1*; Genotypes; Haplotypes **207**, 191

Gene expression; Antiandrogen; Fenarimol; Rat; AR reporter gene assay; Reproductive organs **207**, 21

Gene expression; Benzo(*a*)pyrene; Quantitative RTRT-PCR; Porcine urinary bladder epithelial cells; Comet assay; Micronucleus test **207**, 255

Genotypes; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1A1*; *CYP1B1*; Haplotypes; Gene expression **207**, 191

Gentamicin; Caffeic acid phenethyl ester; Reactive oxygen radicals; Renal toxicity; Rat **207**, 169

GF-agent; Oximes; Atropine; Acute toxicity; Therapeutic ratio; Mice; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

Glutamate; Methylmercury; Apoptosis; NMDA receptors **207**, 223

γ-Glutamyltranspeptidase; Arsenic; Biliary excretion; Urinary excretion; Glutathione; Buthionine sulfoximine; Acivicin **207**, 91

Glutathione disulfide; Thallium(III) hydroxide; Toxicity; Glutathione; Glutathione reductase; Glutathione peroxidase **207**, 501

Glutathione peroxidase; Thallium(III) hydroxide; Toxicity; Glutathione; Glutathione reductase; Glutathione disulfide **207**, 501

Glutathione reductase; Thallium(III) hydroxide; Toxicity; Glutathione; Glutathione peroxidase; Glutathione disulfide **207**, 501

Glutathione; Arsenic; Biliary excretion; Urinary excretion; γ-Glutamyltranspeptidase; Buthionine sulfoximine; Acivicin **207**, 91

Glutathione; Polysorbate 80; Oxidative stress; Calcium; Lymphocyte **207**, 7

Glutathione; Thallium(III) hydroxide; Toxicity; Glutathione reductase; Glutathione peroxidase; Glutathione disulfide **207**, 501

Growth; Pb toxicity; Locomotor activity; Behavior stereotypy; Dopamine uptake; Rat **207**, 363

GSH; Cement; MDA; Pulmonary function test; Silisium dioxide **207**, 15

^{1}H NMR spectroscopy; D-Serine; Nephrotoxicity; Sodium benzoate; D-Amino acid oxidase; Proximal tubule **207**, 35

Haplotypes; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1A1*; *CYP1B1*; Genotypes; Gene expression **207**, 191

Harmful algal blooms; In vitro assay; Receptor; Signal transduction; Effector **207**, 451

Hep G2 cells; Zearalenone; Cytotoxicity; Hsp 70 expression; Cytoprotection **207**, 293

Hepatocarcinogenesis; PPARα; Peroxisome proliferation; Phthalate esters; Activation **207**, 149

Hepatotoxicity; Fumonisin; Tumor necrosis factor α; Sphinganine; Kupffer cells **207**, 137

Hexachlorobenzene; 5′ Deiodinases; Thyroid status **207**, 349

Histology; Rat liver slices; Apoptosis; Thioacetamide **207**, 203

HPLC–MS; D-Serine; Proximal tubule; Kidney; Metabonomics **207**, 179

Hsp 70 expression; Zearalenone; Hep G2 cells; Cytotoxicity; Cytoprotection **207**, 293

Human lung cells; Bronchial cells; Peripheral cells; MRPs; Immunhistochemistry; Confocal LASER scan microscopy **207**, 437

Hydroxychalcones; XRE-transactivation; DMBA–DNA binding; CYP1A1/1B1 **207**, 303

Hypersensitivity; Respiratory sensitizers; Ribonuclease protection assay; Cytokines; Th1 and Th2 cells; Diisocyanate **207**, 487

Hypertension; Lead withdrawn; β-Adrenoceptor; β-Adrenergic system **207**, 73

Immunhistochemistry; Human lung cells; Bronchial cells; Peripheral cells; MRPs; Confocal LASER scan microscopy **207**, 437

Immunomodulation; Methoxychlor; Developmental exposure; Rat; Endocrine disrupter **207**, 271

In vitro assay; Harmful algal blooms; Receptor; Signal transduction; Effector **207**, 451

Induction; Rat liver; Cytochrome P4502B; Phenobarbital; Triphenyldioxane; Inhibitors of protein kinases and phosphatases **207**, 315

Inhaled metals; Sex differences; Gender differences; Pb; Scanning electron microscopy; Lead acetate **207**, 323

Inhibitors of protein kinases and phosphatases; Rat liver; Cytochrome P4502B; Induction; Phenobarbital; Triphenyldioxane **207**, 315

Interleukin; Malignant melanoma; Mistletoe lectins; Cytotoxicity; Tumour necrosis factor-α **207**, 105

Ischaemia/reperfusion; Cyclosporine; Kidney **207**, 339

Jurkat T-cell; 3,3′-Dichlorobenzidine; *Salmonella typhimurium* TA102; Phototoxicity; Photomutagenicity; Single cell gel electrophoresis (comet assay) **207**, 411

Kidney toxicity; Cyclosporine; Everolimus; FTY720; Non-human primates **207**, 117

Kidney; Cadmium; SGLT1; Sp1 **207**, 369

Kidney; Cyclosporine; Ischaemia/reperfusion **207**, 339

Kidney; D-Serine; Proximal tubule; HPLC–MS; Metabonomics **207**, 179

Kupffer cells; Fumonisin; Hepatotoxicity; Tumor necrosis factor α; Sphinganine **207**, 137

Lead acetate; Sex differences; Gender differences; Pb; Inhaled metals; Scanning electron microscopy **207**, 323

Lead withdrawn; Hypertension; β-Adrenoceptor; β-Adrenergic system **207**, 73

Lipid peroxidation; Malathion; Zinc; Acetylcholinesterase; Antioxidant enzymes; Brain **207**, 283

Liver carcinogenesis; Dicyclanil; Microarray; Oxidative stress; Mouse **207**, 419

Locomotor activity; Pb toxicity; Growth; Behavior stereotypy; Dopamine uptake; Rat **207**, 363

Lung overloading; Nose-only exposure; Dosimetry; Pharmacokinetics; Tissue binding; Alveolar macrophages **207**, 59

Lymphocyte; Polysorbate 80; Oxidative stress; Glutathione; Calcium **207**, 7

Malathion; Zinc; Acetylcholinesterase; Lipid peroxidation; Antioxidant enzymes; Brain **207**, 283

Malignant melanoma; Mistletoe lectins; Cytotoxicity; Interleukin; Tumour necrosis factor-α **207**, 105

Matrix metalloproteinase-9 (MMP-9); Zymography; *Euonymus alatus*; Caffeic acid; 3,4-Dihydroxycinnamic acid **207**, 383

MDA; Cement; GSH; Pulmonary function test; Silisium dioxide **207**, 15

Medial edge epithelium; Cell proliferation; *N*′-nitrosonornicotine; Palate; Programmed cell death; Tobacco **207**, 475

Metabonomics; D-Serine; Proximal tubule; Kidney; HPLC–MS **207**, 179

Methoxychlor; Developmental exposure; Immunomodulation; Rat; Endocrine disrupter **207**, 271

Methylmercury; Apoptosis; Glutamate; NMDA receptors **207**, 223

Mice; GF-agent; Oximes; Atropine; Acute toxicity; Therapeutic ratio; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

Microarray; Dicyclanil; Liver carcinogenesis; Oxidative stress; Mouse **207**, 419

Micronucleus test; Benzo(*a*)pyrene; Quantitative RTRT-PCR; Porcine urinary bladder epithelial cells; Comet assay; Gene expression **207**, 255

Mistletoe lectins; Malignant melanoma; Cytotoxicity; Interleukin; Tumour necrosis factor-α **207**, 105

Mitomycin C; Combined treatment; Comet assay; X-rays; Cyclophosphamide **207**, 331

Molsidomine; Cyclosporine A (CsA); Nephrotoxicity; Nitric oxide (NO); L-Arginine; L-NAME **207**, 463

Molybdate; Aldehyde oxidase; Dioxin; Aryl hydrocarbon receptor **207**, 401

Mouse; Dicyclanil; Microarray; Liver carcinogenesis; Oxidative stress **207**, 419

MRPs; Human lung cells; Bronchial cells; Peripheral cells; Immunhistochemistry; Confocal LASER scan microscopy **207**, 437

L-NAME; Cyclosporine A (CsA); Nephrotoxicity; Nitric oxide (NO); L-Arginine; Molsidomine **207**, 463

Necrosis; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (2,3,7,8-TCDD); Pituitary; Apoptosis **207**, 391

Nephrotoxicity; Cyclosporine A (CsA); Nitric oxide (NO); L-Arginine; Molsidomine; L-NAME **207**, 463

Nephrotoxicity; D-Serine; Sodium benzoate; D-Amino acid oxidase; 1H NMR spectroscopy; Proximal tubule **207**, 35

Nerve agent; GF-agent; Oximes; Atropine; Acute toxicity; Therapeutic ratio; Mice; Cyclosarin; Acetylcholinesterase **207**, 1

Nitric oxide (NO); Cyclosporine A (CsA); Nephrotoxicity; L-Arginine; Molsidomine; L-NAME **207**, 463

***N'*-nitrosonornicotine**; Cell proliferation; Medial edge epithelium; Palate; Programmed cell death; Tobacco **207**, 475

NMDA receptors; Methylmercury; Apoptosis; Glutamate **207**, 223

Nonhuman primates; Cyclosporine; Everolimus; FTY720; Kidney toxicity **207**, 117

Nose-only exposure; Dosimetry; Pharmacokinetics; Tissue binding; Alveolar macrophages; Lung overloading **207**, 59

Oxidative stress; Dicyclanil; Microarray; Liver carcinogenesis; Mouse **207**, 419

Oxidative stress; Polysorbate 80; Glutathione; Calcium; Lymphocyte **207**, 7

Oximes; GF-agent; Atropine; Acute toxicity; Therapeutic ratio; Mice; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

p21; Arsenic; Bladder; Cell cycle; p53 **207**, 49

p53; Arsenic; Bladder; Cell cycle; p21 **207**, 49

Palate; Cell proliferation; Medial edge epithelium; *N'*-nitrosonornicotine; Programmed cell death; Tobacco **207**, 475

Particles; Air pollution; Adjuvant; Allergy; Cytokines; Cell surface molecules **207**, 241

Pb toxicity; Locomotor activity; Growth; Behavior stereotypy; Dopamine uptake; Rat **207**, 363

Pb; Sex differences; Gender differences; Inhaled metals; Scanning electron microscopy; Lead acetate **207**, 323

Peripheral cells; Human lung cells; Bronchial cells; MRPs; Immunhistochemistry; Confocal LASER scan microscopy **207**, 437

Peroxisome proliferation; PPARα; Phthalate esters; Activation; Hepatocarcinogenesis **207**, 149

Pharmacokinetics; Nose-only exposure; Dosimetry; Tissue binding; Alveolar macrophages; Lung overloading **207**, 59

Phenobarbital; Rat liver; Cytochrome P4502B; Induction; Triphenyldioxane; Inhibitors of protein kinases and phosphatases **207**, 315

Photomutagenicity; 3,3′-Dichlorobenzidine; *Salmonella typhimurium* TA102; Phototoxicity; Jurkat T-cell; Single cell gel electrophoresis (comet assay) **207**, 411

Phototoxicity; 3,3′-Dichlorobenzidine; *Salmonella typhimurium* TA102; Photomutagenicity; Jurkat T-cell; Single cell gel electrophoresis (comet assay) **207**, 411

Phthalate esters; PPARα; Peroxisome proliferation; Activation; Hepatocarcinogenesis **207**, 149

Pituitary; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (2,3,7,8-TCDD); Apoptosis; Necrosis **207**, 391

Polypeptide toxin; Activation kinetics; Channels modulation **207**, 129

Polysorbate 80; Oxidative stress; Glutathione; Calcium; Lymphocyte **207**, 7

Porcine urinary bladder epithelial cells; Benzo(*a*)pyrene; Quantitative RTRT-PCR; Comet assay; Micronucleus test; Gene expression **207**, 255

PPARα; Peroxisome proliferation; Phthalate esters; Activation; Hepatocarcinogenesis **207**, 149

Pregnancy and toxicity; Tellurium; Diphenyl ditelluride; Teratogenic **207**, 231

Programmed cell death; Cell proliferation; Medial edge epithelium; *N'*-nitrosonornicotine; Palate; Tobacco **207**, 475

Proximal tubule; D-Serine; Kidney; HPLC–MS; Metabonomics **207**, 179

Proximal tubule; D-Serine; Nephrotoxicity; Sodium benzoate; D-Amino acid oxidase; 1H NMR spectroscopy **207**, 35

Pulmonary function test; Cement; MDA; GSH; Silisium dioxide **207**, 15

Quantitative RTRT-PCR; Benzo(*a*)pyrene; Porcine urinary bladder epithelial cells; Comet assay; Micronucleus test; Gene expression **207**, 255

Rabbits; Stannous chloride; Ascorbic acid; Fertility **207**, 81

Rat liver slices; Apoptosis; Thioacetamide; Histology **207**, 203

Rat liver; Cytochrome P4502B; Induction; Phenobarbital; Triphenyldioxane; Inhibitors of protein kinases and phosphatases **207**, 315

Rat; Antiandrogen; Fenarimol; AR reporter gene assay; Reproductive organs; Gene expression **207**, 21

Rat; Caffeic acid phenethyl ester; Gentamicin; Reactive oxygen radicals; Renal toxicity **207**, 169

Rat; Methoxychlor; Developmental exposure; Immunomodulation; Endocrine disrupter **207**, 271

Rat; Pb toxicity; Locomotor activity; Growth; Behavior stereotypy; Dopamine uptake **207**, 363

Reactive oxygen radicals; Caffeic acid phenethyl ester; Gentamicin; Renal toxicity; Rat **207**, 169

Receptor; Harmful algal blooms; In vitro assay; Signal transduction; Effector **207**, 451

Renal toxicity; Caffeic acid phenethyl ester; Gentamicin; Reactive oxygen radicals; Rat **207**, 169

Reproductive organs; Antiandrogen; Fenarimol; Rat; AR reporter gene assay; Gene expression **207**, 21

Respiratory sensitizers; Ribonuclease protection assay; Cytokines; Th1 and Th2 cells; Hypersensitivity; Diisocyanate **207**, 487

Ribonuclease protection assay; Respiratory sensitizers; Cytokines; Th1 and Th2 cells; Hypersensitivity; Diisocyanate **207**, 487

Salmonella typhimurium TA102; 3,3′-Dichlorobenzidine; Phototoxicity; Photomutagenicity; Jurkat T-cell; Single cell gel electrophoresis (comet assay) **207**, 411

Scanning electron microscopy; Sex differences; Gender differences; Pb; Inhaled metals; Lead acetate **207**, 323

D-Serine; Nephrotoxicity; Sodium benzoate; D-Amino acid oxidase; 1H NMR spectroscopy; Proximal tubule **207**, 35

D-Serine; Proximal tubule; Kidney; HPLC–MS; Metabonomics **207**, 179

Sex differences; Gender differences; Pb; Inhaled metals; Scanning electron microscopy; Lead acetate **207**, 323

SGLT1; Kidney; Cadmium; Sp1 **207**, 369

Signal transduction; Harmful algal blooms; In vitro assay; Receptor; Effector **207**, 451

Silisium dioxide; Cement; MDA; GSH; Pulmonary function test **207**, 15

Single cell gel electrophoresis (comet assay); 3,3′-Dichlorobenzidine; *Salmonella typhimurium* TA102; Phototoxicity; Photomutagenicity; Jurkat T-cell **207**, 411

Sodium benzoate; D-Serine; Nephrotoxicity; D-Amino acid oxidase; 1H NMR spectroscopy; Proximal tubule **207**, 35

Sp1; Kidney; Cadmium; SGLT1 **207**, 369

Sphinganine; Fumonisin; Hepatotoxicity; Tumor necrosis factor α; Kupffer cells **207**, 137

Stannous chloride; Rabbits; Ascorbic acid; Fertility **207**, 81

Tellurium; Diphenyl ditelluride; Teratogenic; Pregnancy and toxicity **207**, 231

Teratogenic; Tellurium; Diphenyl ditelluride; Pregnancy and toxicity **207**, 231

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (2,3,7,8-TCDD); Pituitary; Apoptosis; Necrosis **207**, 391

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; *CYP1A1*; *CYP1B1*; Genotypes; Haplotypes; Gene expression **207**, 191

Th1 and Th2 cells; Respiratory sensitizers; Ribonuclease protection assay; Cytokines; Hypersensitivity; Diisocyanate **207**, 487

Thallium(III) hydroxide; Toxicity; Glutathione; Glutathione reductase; Glutathione peroxidase; Glutathione disulfide **207**, 501

Therapeutic ratio; GF-agent; Oximes; Atropine; Acute toxicity; Mice; Cyclosarin; Acetylcholinesterase; Nerve agent **207**, 1

Thioacetamide; Rat liver slices; Apoptosis; Histology **207**, 203

Thyroid status; Hexachlorobenzene; 5′ Deiodinases **207**, 349

Tissue binding; Nose-only exposure; Dosimetry; Pharmacokinetics; Alveolar macrophages; Lung overloading **207**, 59

Tobacco; Cell proliferation; Medial edge epithelium; *N*′-nitrosonornicotine; Palate; Programmed cell death **207**, 475

Toxicity; Thallium(III) hydroxide; Glutathione; Glutathione reductase; Glutathione peroxidase; Glutathione disulfide **207**, 501

Triphenyldioxane; Rat liver; Cytochrome P4502B; Induction; Phenobarbital; Inhibitors of protein kinases and phosphatases **207**, 315

Tumor necrosis factor α; Fumonisin; Hepatotoxicity; Sphinganine; Kupffer cells **207**, 137

Tumour necrosis factor-α; Malignant melanoma; Mistletoe lectins; Cytotoxicity; Interleukin **207**, 105

Urinary excretion; Arsenic; Biliary excretion; Glutathione; γ-Glutamyltranspeptidase; Buthionine sulfoximine; Acivicin **207**, 91

Uterotrophic assay; Chlorinated bisphenol A; Environmental estrogens; Estrogen receptor **207**, 215

X-rays; Combined treatment; Comet assay; Cyclophosphamide; Mitomycin C **207**, 331

XRE-transactivation; Hydroxychalcones; DMBA–DNA binding; CYP1A1/1B1 **207**, 303

Zearalenone; Hep G2 cells; Cytotoxicity; Hsp 70 expression; Cytoprotection **207**, 293

Zinc; Malathion; Acetylcholinesterase; Lipid peroxidation; Antioxidant enzymes; Brain **207**, 283

Zymography; *Euonymus alatus*; Matrix metalloproteinase-9 (MMP-9); Caffeic acid; 3,4-Dihydroxycinnamic acid **207**, 383